



Indoor Parking Guidance IB-MWY090-5-6I is the kitting of parking guidance and passageway system, mainly installed in passages and control areas of parking lot. IB-MWY090-5-6I can publish the real-time remaining parking number, and provide the speedy and accuracy service for drivers to find the right parking space. The product equipped with standard RS485/RJ45 communication mode, which can display numbers. Dynamic arrow.

Model Description

Models	Function Description
IB-MWY090-5-6I	Indoor, 7 colors, Single Row, 2 Directions, 6 Digits Numbers, RS-485 transmission, Network Transmission


Key Features

- Equipped with standard RS485/RJ45 communication mode
- LED module supports shift left, shift up, upward expanding, downward expanding, Real-time display
- LED module supports 7 colors display, Remaining parking number displayWater and dust resistant (IP67)
- Mounting mode: Hoisting
- Logic address 0~255

Specifications



Model	IB-MWY090-5-6I
Type	Indoor Two-Way Guidance
Application	Indoor Parking Area
Power Supply	110 VAC - 220 VAC
Power Consumption	Max. 28W
Restart	Support Instruction to Restart
Display Mode	Shift Left, Shift Up, Upward Expanding, Downward Expanding
Luminance	3000 CDM
Scanning Mode	1/16 A Model Scanning
Size(Border Included)	1133x224x66
Display Screen Border	Black Aluminum Alloy Border
Display Color	Red/Green/Yellow/Blue/ Cyan/Magenta/White
Display ICON	Pregnant Women/ Disabled / Women / Charging
Communication Mode	RS485/RJ45
Number Display	Support 6 numbers 2 arrow display

Application Scenario



Dimensions

Two-Way Guiding Screen



Mailing Address

VOSTOK Trading L.L.C,
304,3rd Floor,Al Tawhidi Building,
Khaleed Bin Waleed Road,
P.O. Box: 27106 - Dubai,
UNITED ARAB EMIRATES.

Contact Details

Tel : (905) 331-2695
Fax : (905) 331-2695
Email : sales@titanhz.com

Social Media

 www.facebook.com/pages/Titanhz/151150798404988
 plus.google.com/112635276746321262748/posts
 titanhz-anpr-systems.blogspot.in
 twitter.com/titanHz